PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

G07D 7/00

(11) International Publication Number: WO 97/39428

(43) International Publication Date: 23 October 1997 (23.10.97)

GB

(21) International Application Number: PCT/GB97/01022

(22) International Filing Date: 14 April 1997 (14.04.97)

(71) Applicant (for all designated States except US): DE LA RUE
INTERNATIONAL LIMITED [GR/GR]: 6 Ager Street

15 April 1996 (15.04.96)

(71) Applicant (for all designated States except US): DE LA RUE INTERNATIONAL LIMITED [GB/GB]; 6 Agar Street, London WC2N 4DE (GB).

(72) Inventors; and
(75) Inventors/Applicants (for US only): BRATCHLEY, Robin [GB/GB]; 30 Bingley Grove, Woodley, Reading RG5 4TT (GB). NUTTON, Andrew [GB/GB]; 8 Stravinsky Road, Basingstoke, Hampshire RG22 4LX (GB). KNIGHT, Malcolm, Robert, Murray [GB/GB]; 10 Saint Michaels Close, North Waltham, Basingstoke, Hampshire RG25 2BP (GB). REID, Duncan, Hamilton [GB/GB]; 47 Ravel Close, Basingstoke, Hampshire RG22 4ED (GB).

(74) Agent: GILL JENNINGS & EVERY; Broadgate House, 7 Eldon Street, London EC2M 7LH (GB). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.


(54) Title: DOCUMENT OF VALUE

(57) Abstract

(30) Priority Data:

9607788.8

A document of value such as a banknote comprises a substrate having a security feature in or on one region of the substrate. The security feature has at least one machine authenticatable high security entity (HSE) and at least one further machine authenticatable entity comprising a low security entity (LSE) or a high security entity, the at least two entites providing different detectable characteristics. The or each HSE is an homogeneous mixture of at least two components exhibiting different detectable characteristics, and the LSE is a single component exhibiting a detectable characteristic different from those exhibited by the HSE.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL Albania ES Spain LI Lichuania SK Slovakita AM Armenia FI Finland LT Lithuania SK Slovakita AT Austria FR Prance LU Luxembourg SN Senegal AU Australia GA Gabon LV Latvia SZ Swaziland AZ Azerbaijan GB United Kingdom MC Monaco TD Chad AZ Azerbaijan GB United Kingdom MC Monaco TTO Chad BA Bosnia and Hercegovina GE Georgia MD Republic of Moldova TG Togo BA Bosnia and Hercegovina GH Ghana MG Madagascar TJ Tajkistan BB Barbados GH Ghana MK The former Yugoslav TM Turkensistan BE Belgium GN Guinea MK The former Yugoslav TM Turkey BF Burkina Paso GR Greece Republic of Macedonia TR Turkey BF Burkina Paso HU Hungary ML Mali UA Ukraine BJ Benin IE Ireland MN Mongolia UA Ukraine BJ Benin IE Ireland MN Mongolia UA Ukraine BY Belarus IS Iceland MW Malawi US Uganda BY Belarus IS Iceland MW Malawi US United States of Ame CA Canada IT Italy MX Mexico UZ Uzbekistan CA Canada IT Italy NE Niger VN Viet Nam CF Central African Republic JP Japan NE Niger VN Viet Nam CG Congo KE Kenya NL Notherlands YU Yugoslavia CCH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CH Switzerland KG Kyrgyzstan NO Norway ZW Zimbabwe CU Cuba KZ Kazakstan RO Romania CU Cuba KZ Kazakstan RO Romania CU Cuba Cameron LI Lichenstein SD Sudan DE Germany LI Lichenstein SD Sudan SG Singenore								
The thirt NG NORMORE	AM AT AU AZ BA BB BE BF BG BJ BR CF CG CH CI CM CN CU CDE	Armenia Austria Austria Australia Azerbaijan Bosnia and Herzegovina Barbados Belgium Burkina Paso Bulgaria Benin Brazil Belarus Canada Central African Republic Congo Switzerland Côte d'Ivoire Cameroon China Cuba Czech Republic Germany	FI FR GA GB GC GN GR HU IE IL IS IT JP KB KC KP KR	Finland Prance Gabon United Kingdom Georgia Ghana Guinea Greece Hungary Ireland Israel Iceland Islay Japan Kenya Kyrgyzstan Democratic People's Republic of Korea Republic of Korea Republic of Korea Kazakstan Saint Lucia Liecteenstein Sri Lanka	LT LU LV MC MC MG MK MI MN MR MY MX NE NL NO NZ PL RO RU SE	Lithuania Luxembourg Latvia Monaco Republic of Moldova Madagascar The former Yugoslav Republic of Macedonia Mali Mongolia Mauritania Malawi Mexico Niger Netherlands Norway New Zealand Poland Portugal Romania Russian Federation Sudan Sweden	SK SN SZ TD TG TJ TM TR TT UA UG US US VN YU	Senegal Swaziland Chad Togo Tajikistan Turkmenistan Turkey Trinidad and Tobago Ultraine Uganda United States of America Uzbekistan Viet Nam Yugoslavia
	DE	Germany	LI LK	Liechtenstein Sri Lanka	SE	Sweden	•	

5

10

15

20

25

30

35

1

DOCUMENT OF VALUE

The invention relates to a document of value and a method of authenticating such a document, and methods and apparatus for sorting documents of value.

In order to detect counterfeits of documents of value, it is conventional to apply security features to such documents which can then be detected during an inspection or authentication process.

Machine readable security features are well known for use with currency and other documents of value. They are provided for detection by portable detectors, portable hand held units, teller assist and retail assist equipment to ascertain the genuine nature of banknote and documents of value. Additionally they are used for machine checking the integrity of banknotes or other security documents on counting machines or sorting machines. The latter can pass documents at linear speeds of 1 m/s or more. Other areas where banknotes and other documents of value are machine read include note accepting devices, e.g. for car parks, note recyclers, vending machines and gaming machines.

Typical techniques to determine authenticity involve measurement of specific properties of materials. Examples of characteristics that are used in this way are Fluorescence, Magnetism, Phosphorescence, Absorption of light (uv, visible, ir) and Electrical Conductivity.

These features may be typically printed on to the document in either a visible ink, or an ink which cannot easily be seen. Alternatively detectable security features have been part of the substrate being incorporated into the security thread or in the paper itself.

Luminescent features are detected by exposing with a certain wavelength of light, typically in the uv or visible, and analysing the emitted light at one or more wavelengths in the visible or. infra Both phosphorescent and fluorescent materials have been employed. In the case of phosphorescent materials,

2

measurement of decay characteristics may also be carried out. Mixtures of phosphors and fluophors have been employed in detection.

Materials are known which can be excited by visible light and emit in the infra red, or alternatively emit in the red end of the spectrum after excitation in the visible. Anti-Stokes materials can be excited in the ir and emit in the visible.

5

10

15

20

25

30

35

Magnetic materials are commonly employed both in print and in paper features, e.g. threads. They have been sensed by measuring the remanent magnetisation after passing in the vicinity of a magnet. Alternatively, for added security, coercivity has been measured and in some instances the presence of a permanently magnetised code has been used.

Absorption of visible light can be used for pattern recognition, but more discriminating is absorption of uv or infra red light. Addition of special infra red absorbers to a component of the security document, such as the ink or thread has been carried out and the absorbance measured at one or more wavelengths.

Conductive materials are most effectively used on security threads or other plastic security components. Typically, a metallic conductive layer is used which is detected by capacitance or induction type detectors.

Security threads have also carried multilayer components of magnetic, fluorescent and metallic conductive layers. Generally on a security document when different machine readable features are present, they are printed in different areas of the document and either form part of the design of the document or are invisible.

Bar codes are frequently used to add information such as the value, issuer or account code. These may be printed in the standard linear format, or as a two dimensional or checker board type format. In the case of clearing bank cheques, special alphanumerical fonts are used which are

10

15

20

25

30

35

either read by optical character recognition or magnetic sensing. The E13B code is a commonly used format.

For security threads methods have been disclosed for encoding. For example a security thread with intermittent presence of magnetism is known as is a thread with a variation in the level of magnetism from point to point. Alternatively a method has been disclosed for encoding by using a sequence of magnetic materials of different coercivity.

GB-A-1585533 describes security documents which can be detected in more than one way. The invention discloses a device which comprises two distinct security features. One a magnetic layer, the other, either a luminescent material or a metal or an X-ray absorbant on a thread or other paper inclusion.

GB-A-1439173 describes a paper containing up to two fluorescent materials which may be in the same region of the document emitting in different spectral regions. Detection is carried out after dispersion at specific wavelengths.

US-A-5005873 describes a document carrying two fluorescent materials which are excited at different wavelengths in the uv and have different emission spectra in the visible or uv and are detected by sequential illumination by light of different wavelengths. The fluophors are homogeneously dispersed in a plastics substrate or deposited in layers.

EP-A-0610917 describes an anti-counterfeit security device for documents which includes a combination of two security elements, one that is detectable by machine and a second which is visually detectable.

There are a number of drawbacks in the existing state of the art.

i) Where the detection method involves detection of a single component, security is limited and it is relatively easy for the knowledgeable counterfeiter to match the machine readable

WO 97/39428

5

10

25

30

35

effect. Thus in the case of fluorescence, the counterfeiter can match the effect visible under uv light and obtain a simulation that could be picked up by a simple detector, which would register the note as genuine. A skilful counterfeiter is also able to match the machine readability response of magnetic and conductive features.

- ii) A two layer structure on a thread, where each layer is made of a single machine readable component, can also be analysed by the skilled counterfeiter and replicated. The weakness being that physical examination of the document will reveal the nature of the construction.
- iii) Bar codes in themselves do not give added security unless they can be completely hidden. Thus magnetic code lines on cheques and travellers cheques have been counterfeited. Even if such codes are hidden they can generally be picked up by simple detectors on the market, or by dissection of the feature and can be replicated.
 - Mixtures of materials give improved protection equipment that is not available to the public is needed to unravel the properties. However, detection detection of such materials requires the use of more complex measuring equipment and cannot easily be used in detectors which are fitted to lower cost machines, such as counters or point sale equipment owing to cost and size For a similar reason, some more constraints. esoteric scientific properties, which can and are employed at high cost in central banks, are appropriate for use at point of sale, counters or vending machines etc.

5

10

15

20

25

30

35

5

On existing documents, machine readable features V) have been largely located in different areas of a document to make use of low and higher level detection. This however is becoming increasingly more difficult to achieve as the available on a printed document The presence of a larger number of machine readable areas can significantly affect the visible appearance of documents and is undesirable due to either the direct or indirect requirements of the machine readable area.

accordance with one aspect of the present invention, a document of value comprises a substrate having a security feature in or on one region of the substrate, security feature having at least one authenticatable high security entity (HSE) and at least one further machine authenticatable entity comprising a low security entity (LSE) or a high security entity, the at providing entities different characteristics, wherein the or each HSE is an homogeneous mixture of at least two components exhibiting different detectable characteristics, and the LSE is a single component exhibiting a detectable characteristic different from those exhibited by the HSE.

This invention has a number of significant advantages over the prior art. Firstly, by locating the security feature in one region of the substrate, this will make it much easier to locate the security feature in the machine authentication applications envisaged. The present invention combines the benefits of a simple detection system that can be used at low cost in equipment where there is little machine space and which could not justify higher space, with the benefits of a high level feature which requires more in-depth interrogation and can be used on more sophisticated sorters.

Secondly the invention provides clearly separate entities. Preferably, these are high security and low

security entities (preferably in separate layers) which can be utilised in different situations depending upon the certainty of authentication which is required. Thus, the LSE can be utilised in applications where a simple detector is used, for example retail outlets and the like, while the HSE (or HSE and LSE) can be used in much higher security applications, for example in commercial banks or central banks. In other cases, however, the entities can be defined by two HSEs.

Typically, the LSE will be a single material which can be detected so as to provide a YES/NO response indicating the presence or absence respectively of the detectable characteristic. The HSE will typically include detectable characteristics which are relatively difficult to detect allowing an in-depth interrogation of the document and a much higher level of authentication.

10

15

20

25

30

35

As the HSE is an homogeneous mixture of at least two components, it is much more difficult to analyse and thus difficult to counterfeit on a simple trial and error basis. This should be contrasted with the more basic security elements described in EP-A-0610917.

Furthermore, at a minimum, there will be at least three different detectable characteristics present on the document, which will significantly improve the security of the document. Thus, although it is not necessary to determine the presence of all the detectable characteristics on the document, the more that are detected the greater the level of security achieved.

The area of the document within which the feature will be interrogated is preferably less than 1600mm^2 or more preferably 400mm^2 or less. Areas down to 10mm^2 or less are possible which is particularly useful if the feature is incorporated in a security thread.

The two entities may comprise continuous layers or a mixture of continuous and discontinuous layers. For example, one or both may have a dot structure or consist of broken images. The layers may spread away from the region of the security feature.

WO 97/39428

5

10

15

20

25

30

35

The two entities may be provided side by side in the region and in this respect could define a bar code type of structure. In particular, the two entities may be laterally interleaved so that each defines its own bar code structure. Other types of interleaving leading to a chequer board pattern or mosaic are also possible.

In other examples, the two entities overlie one another. In these examples, it is important that the overlying layer does not affect the readability of the underlying layer. Thus, for example, where one of the layers includes a magnetic characteristic, this should be placed beneath any layer having an invisible fluorescence. Alternatively, the layers could be discontinuous as described above.

The two entities may be incorporated in or on the document substrate in a variety of ways. For example, if the document includes a security thread in the region of the security feature, then the feature could be provided on the security thread, or one of the two entities could be incorporated in the security thread itself. When one or more layers are provided on the security thread, these can be applied for example by gravure coating. Alternatively, broken or discontinuous layers may be applied as described earlier. The thread may be a polymeric or other type of security thread which may or may not be isotropic. In some cases, one or both of the two entities could be sandwiched between one or more layers of the thread material or alternatively be within the body of the thread material.

In other examples, one of the two entities is incorporated into the substrate itself. This would be achieved during manufacture of the substrate with the one of the two entities being in the form of a planchette, fibres, metallic fibres, dye or pigment particles.

In some cases, at least one of the two entities is printed on the substrate. Typical printing processes are lithography, intaglio, gravure, screen, flexography, and letterpress printing.

5

10

15

20

25

30

35

8

One or both of the two entities may be part of a coating applied during substrate (paper) manufacture, or after production of the substrate. Alternatively, they could consist of a combination of several different components. Thus the different components may consist of the substrate, possibly a coating, printed matter which could be litho, letterpress intaglio screen, or other It may also have a foil or hologram printing process. attached in some way, for example by foil blocking. coating may also be vacuum deposited. The substrate could be paper or plastics based. The substrate may contain or include other security elements such as a security thread, planchettes, fibres, metallic fibres, dye or pigment particles or other security elements.

The entities may be part of a coating applied during paper manufacture or after production of the paper. Alternatively, as part of an applied hologram, kinegram, diffractive device, colour play or optically variable device. These components may themselves per se be a machine authenticatable entity to which the HSE is added. The HSE and LSE could be added to foil such as described in EP 522217.

In general, the two entities may be provided by a combination of paper (substrate) and print entities, paper and thread entities, or a combination of paper, thread and print entities. Moreover, a hologram can be part of the security feature involving paper substrate or print. One example would be where a foil structure is not continuous and contains holes through which the print or paper entity could be monitored as well.

Although bar codes in themselves do not form the essential component of this invention, they can be incorporated as part of it. Thus the elements of bar codes or related codes may be read in the ir, by uv (fluo or phosphorescence), uv absorption or magnetic effects. The bar code will form just one element of this invention. It will either carry the LSE or HSE.

9

Combinations of intaglio or other printed lines have also been used as a detection device using the effect of pattern and/or relief, on light, as in intaglio sensing and recognition devices. This type of feature can also form one element of the invention.

The homogeneous HSE can have a range of different compositions.

5

10

15

30

35

For inks and coatings, the homogeneous mixture may be produced by intimately mixing a finely divided pigment with a vehicle, preferably but not essentially with a particle size of less than 10 microns, even more preferably with a particle size less than 5 micron and even more preferably with a particle size less than 1 micron. The ink vehicle could be for example an autoxidisable alkyd modified drying oil system as used in litho, letterpress or intaglio ink systems.

Alternatively, any other ink or coating system that is known to the art may be used to carry the machine readable components.

Alternatively, the HSE may be applied by vacuum coating, sputtering or other related techniques, or solidification of melt. It could be in a glass type of composition (in its broadest meaning) or alternatively as a solid solution on a vehicle, such as a dyestuff in a polymeric plastic carrier or vehicle.

Where the HSE is in the (paper) substrate, this will be included by intimately mixing the components in the stock during preparation of the paper.

The HSE may be a plastics component which carries dispersed in it, or in solid solution, the machine readable components.

The HSE and LSE may contain a variety of types of materials which have machine readable properties. Examples are luminescence, light absorption (e.g. visible, ir, uv), Raman activity, magnetism, microwave interaction, x-ray interaction and conductivity. In some cases, the detectable characteristics of the two entities are

10

different properties of the same type, for example different wavelengths of luminescence.

Typical materials that can be used within the HSE are described below. The homogeneous entity may consist of a mixture of materials of a specific type (e.g. as described in each section below), but they may be composed of mixtures of materials with different classes of physiochemical properties (e.g. materials taken from different sections below).

10

15

25

5

(i) Luminescent Materials

By way of example luminescent materials that can be included in the homogeneous layer are shown in Table 1.

Coatings, inks and plastics may be formulated with specific combinations of these materials to produce inks which may be interrogated in a variety of ways.

At least two luminescent materials would be included in a formulation. Examples of such formulations are given in Table 2.

The design of the detector system will take into account at least two of the properties, or one of these properties in combination with a different type of property as described in other sections. These are:

excitation growth characteristics excitation wavelength emission decay characteristics emission wavelength temperature of the measurement angular variation with viewing.

This is achieved in the design of the detector and the algorithm allowed for analysing the signals. Detection can be carried by using a flash lamp, pulsed source or illuminating at a different location along the track of the document on the banknote handling machine.

11

ii) Magnetic Materials

Examples of magnetic materials that can be used in homogeneous mixtures are set out in Table 3.

The detector will take into account one or more of the following properties:

- disturbance to magnetic field of which they are part.
- remanent magnetic field produced by the materials after removal of the applied magnetic field.
- the coercivity of the material.
- temperature dependence of the magnetic property.
- rate at which the magnetic property can change with a change in applied field strength.
- 15 magnetic permeability.

Mixtures of magnetic materials in a homogeneous format can be used that can modify the type of field produced.

The detected material may also comprise iron/cobalt alloys, and other soft magnetic materials with low coercivity and remanence.

Mixtures of magnetic components can be used to produce effects that would not be produced by a single material.

Typical mixtures of magnetic materials that have been prepared are:

25

20

5

Formula	1:	
γ -Fe ₂ 0 ₃		20%
Co-Fe ₂ 0 ₃		20%
Vehicle		60%
Formula	2:	
γ -Fe ₂ 0 ₃		20%
Co-Fe ₃ 0 ₄	on Fe ₂ 0 ₃	20%
Vehicle		60%
Formula	3	
Co-Fe ₃ 0 ₄	on Fe ₂ 0 ₃	20%
	γ-Fe ₂ O ₃ Co-Fe ₂ O ₃ Vehicle Formula γ-Fe ₂ O ₃ Co-Fe ₃ O ₄ Vehicle	Co-Fe ₂ 0 ₃ Vehicle Formula 2: γ-Fe ₂ 0 ₃ Co-Fe ₃ 0 ₄ on Fe ₂ 0 ₃

			
	BaO-6Fe ₂ 0 ₃	20%	
	Vehicle	60%	•
	Formula 4		
5	γ-Fe ₂ 0 ₃	13.3%	
	Co - γ-Fe ₂ O ₃	13.3%	
	Ba0-6Fe ₂ 0 ₃	13.3%	
	Vehicle	60.1%	
10	Formula 5		
	γ-Fe ₂ 0 ₃	10%	
	Ba0-6Fe ₂ 0 ₃	30%	
	Vehicle	60%	
15	Formula 6		
	γ -Fe ₂ O ₃	8%	
	Ba0-6Fe ₂ 0 ₃	32%	
	Vehicle	60%	
	Vehicle may be lett	erpress formulation	on, litho,
20	intaglio, gravure or screen	•	
	iii) Mixtures of Fluor	escent and Magnetic	Materials
		•	
	Formula 1	•	
25	Fluorescent Pigment	5%	
	Fe ₃ 0 ₄	25%	
	Vehicle	70%	
	Formula 2		
30	Fluorescent Pigment	15%	
	γ -Fe ₂ 0 ₃	25%	
	Vehicle	60%	• • • •
	Vehicle may be let		on, litho,
	intaglio, gravure or screen	١.	

13

iv) Raman Materials

Typical Raman active material described in GB 2256433B may be used.

Typical formulae are:

5

	Polydiacetylene	1-10%
	Vehicle	87-78%
	Fluorescent pigment	12%
10		
	Polydiacetylene	1 - 5%
	Vehicle	62-58%
	Fluorescent pigment	12%
	Pigment	25%

15

20

25

v) Ir Absorbers

Lightly coloured ir absorbers are available from ICI and are described in EP 0340898 A2 and related patents.

Mixtures of these materials may be used as one of the machine readable entities or as mixtures with other components.

The detectable characteristics of the HSE may comprise different characteristics such as luminescence and conductivity, or could comprise different properties of the same type, for example the presence of different luminescence wavelengths. Similarly, the characteristics of the HSE and LSE may be of different types or different properties of the same type.

Examples of LSEs include:

1. Phosphorescent Coating or Print (excite in uv emit in visible)

Zinc Sulphide Phosphor 5 to 60% Vehicle 95 to 40%

35
2. Fluorescent Coating or Print (excite in uv emit in visible)
Organic Fluorescent Compound 1 to 40%

14

_

Vehicle 99 to 60% Antistokes Coating (excite in ir emit in visible) 1 to 60% Antistokes Compound 99 to 40% Vehicle 5 IR Luminescent Coating or Print (excite in 4. visible emit in ir) 1 to 60% IR Luminescent Compound 99 to 40% Vehicle 10 IR Absorbing Coating or Print 5. 1 to 20% Infra Red Absorber 99 to 80% Vehicle 15 Conductive Metallic Coating 6. Vacuum Coated Aluminium on a Security Thread. Magnetic Coating or Print 7. 20 5 to 60% Magnetic Compound 95 to 40% Vehicle UV Absorbing Coating or Print 8. 1 to 40% UV Absorber 25 99 to 60% Vehicle Metal Thread (detection by capacitance) 9. A polyester thread (12-23 micron thick) vacuum coated on one or two sides with aluminium to an 30 optical density of 2.0 to 3.0 typically. Magnetic Thread 10. Detection of remanent magnetism after passing through a magnetic field. A polyester thread 35 (8-23 micron thick) coated on one side with a

15

layer 5 micron thick of a magnetic pigment (e.g. γ Fe₂0₃) in a polymeric binder.

11. Microwave Active Entities (detected by interaction with a microwave beam)

Dispersion of magnetic or non-magnetic microwave active fibres typically 6 micron in diameter and 5mm long in paper. Randomly dispersed or in a band. Produced by known techniques.

10

15

20

25

35

5

In accordance with a second aspect of the present invention, a method of authenticating a document of value according to the first aspect of the invention comprises optionally feeding the document of value past a detection system; detecting at least one of the detectable characteristics; and authenticating the document of value if the detected characteristic(s) satisfy predetermined conditions.

The predetermined conditions may include a pair of thresholds within which the detected characteristics, e.g. intensity or wavelength value, lie.

When the method is implemented at a low level, for example at a retail outlet or high street bank, usually only the characteristic of the LSE will be detected. However, at higher level sites, one or more of the characteristics of the HSE or HSE and LSE will be detected to determine whether or not the document is authentic.

We will now describe some specific examples.

30 Example 1

A roll of polyester is vacuum-metallised with aluminium to a metal thickness of approximately 30nm. A layer of magnetic material comprising organic binders and gamma ferric oxide particles is applied to the metal side of the film by a suitable coating technique, e.g.gravure, reverse roll etc. (Optionally, the magnetic coating is

5

10

15

20

25

30

35

applied to the polyester side of the film). A second ply vacuum-metallised polyester with the same thickness is laminated by known means to the first ply such that the second metal layer and the magnetic oxide are internal to the laminate. A coating comprising an organic binder and mixture of phosphor particles, e.g. of doped zinc sulphide and an additional material as is listed in section i) above is then applied over both surfaces of the laminate by known means, e.g. gravure, reverse roll etc. further organic protective coats Optionally, adhesives are applied over one or both sides of the The laminate coated laminate. mechanically reduced by known means to form security threads in the width range typically 0.5-4.0mm. security threads are then incorporated into banknote paper by known means to form a wholly embedded or partially windowed security thread e.g. using in the latter case the techniques disclosed in EP-A-0059056. The paper is then printed by known techniques and issued as banknotes.

In use, the authentication of the document comprises checks on three or more of the characteristics of the conductivity of the metal layers, the presence of the magnetic material by measurement of the remanent moment per unit area (equivalent to the remanent magnetisation—thickness product), the coercivity of the magnetic material, and the intensity/peak emission/band width/decay time of the phosphor material(s) when exposed to a suitable source of stimulating illumination using known detection techniques.

In this example, the LSE is provided by the layer of magnetic material, the low security level being achieved by determining the presence or absence of magnetic material. It will be noted, however, that higher security features can also be obtained from the magnetic layer including remanent moment and coercivity per unit area.

The HSE is defined by the coating providing a mixture of phosphor particles.

17

Example 2 -

As Example 1, but the magnetic material is deposited in a non-continuous pattern along the length of the security thread such that the pattern forms a code which can be detected to increase the information from machine detection of the security device, and hence the reliability of the authentication process.

10 Example 3

WO 97/39428

As Example 2, except that the irregular deposition of magnetic material is accompanied by variable thickness of magnetic material and hence signal strength during detection.

Example 4

As Example 2 except that materials of different coercivities are deposited in different regions. A coercivity-based pattern is then generated of the different magnetic materials which is decoded.

Example 5

25

30

35

15

20

As Example 1 except that an x-ray absorbent material, e.g. a barium salt, is included with the ferric oxide. The presence of the barium material is subsequently determined by an x-ray imaging system.

In accordance with a third aspect of the present invention, a method of sorting a set of documents having different values, a machine authenticatable identifying material being provided on or in each document, the identifying material having a physical property different from the form or shape or location of the material which identifies the document value, comprises feeding the documents past a detector to detect the physical property

5

10

15

20

25

30

35

of the identifying material on each document; and feeding the documents to sorting means for sorting the documents in accordance with the detected physical properties.

In accordance with a fourth aspect of the present invention, apparatus for sorting a set of documents having different values, a machine authenticatable identifying material being provided on or in each document, identifying material having a physical property different from the form or shape or location of the material which identifies the document value, comprises a detector for the physical property of the identifying detecting material; sorting means responsive to the output of the detector; and a feed system for feeding documents past the detector to the sorting means whereby the sorting means responds to the output of the detector to feed the documents to respective locations in accordance with their values as defined by the detected physical properties.

We have realised that it is possible to sort documents of value by making use of physical properties of an identifying material. Previous proposals have made use of magnetic bar codes and the like for providing authenticity and to some extent identifying documents but these codes could be determined by counterfeiters. In contrast, by utilising properties of the identifying material other than the formal location of the material significantly improves security.

Typically, the physical property cannot be detected by the naked eye.

An example of a banknote and a banknote sorting machine according to the invention will now be described with reference to the accompanying drawings, in which:

Figure 1 is a schematic, perspective view of a banknote; and,

Figure 2 which is a schematic side view of the apparatus.

Figure 1 illustrates very schematically a banknote 20 having a paper substrate 21 in which is formed a thread 22.

19

The banknote will carry conventional printing and the like (not shown).

A LSE is incorporated within the thread 22 by virtue of providing the thread as a polyester strip vacuum coated with aluminium.

The HSE comprises a combination of two luminescent materials of the kind previously described incorporated into the paper substrate 21 beneath the thread 22 in a region 23. It will be appreciated that many variations in the form of a security feature are possible as described above. For example, the luminescent materials making up the HSE could be located to one side of the thread 22. The LSE need not be located in a thread but provided separately.

10

15

20

25

30

35

The sorting apparatus comprises a first conveyor 1 for conveying banknotes 2 singularly to a detector system 3. Where a luminescent or phosphorescent feature is to be detected, the detector system 3 will include an irradiating source upstream of a detector. The source irradiates the banknote in the region expected to hold identification material (which in this case will luminesce) so that the material luminesces, the luminescence intensity and delay characteristics being detected by a first detector 3A. detector 3B detects the presence of a magnetic material in the same area on a Y/N basis, and the detector system then determines the wavelengths of the luminescence and specific time delay and addresses this further with the Y/N magnetic information to a look-up table which defines destination of a note carrying the magnetic feature and luminescence at each wavelength. The system 3 then generates a control signal on a line 4 or 5 depending upon the detected luminescence and magnetic response, control signal being fed to a respective diverter control system 6,7 respectively. The control system 6 controls the position of a diverter 8 and the control system 7 controls the position of a diverter 9. If the banknote 2 being fed is identified as of the first denomination corresponding to

20

a first luminescent wavelength then the diverter 8 is moved to the position 8' shown in dashed lines so that the note will drop into a store 10. Otherwise, the banknote 2 will pass over the diverter 8 to a conveyor 11 where it is conveyed to the diverter 9 which in turn can be moved to a position 9' allowing the note to drop into a store 12.

Table 1: Examples Of Luminescent Materials

Luminophor	Activator
Yttrium Compounds	Rare Earth eg Eu, Nd, Tb
Gadolinium Oxide	Rare Earth eg Eu, Tb
Magnesium Germanium Oxide	Transitional Element eg Mn
Aluminium Oxide	Transitional Element eg Cr
Zinc Sulphine	Transitional Element eg Cu, Mn, Ag
Organic Fluorescent Compound	

Table 3: Examples Of Magnetic Materials

Magnetic Materials
Carbonyl Iron
Cubic/Octohedral/Spherical Magnetite
Acicular Magnetite
Acicular Iron Oxide
Cobalt Modified Iron Oxide
Cobalt Modified Magnetite
Stabilised Iron
Metal Ferrites (eg Barium, Strontium)
Chromium Dioxide
Amorphous Magnetic/Metallic

Table 2: Examples of Formulations Using Luminescent Materials

Zinc Sulphide Phosphor (1)	Zinc Sulphide Phosphor (2)	Rare Earth Phosphor (1)	Rare Earth Phosphor (2)	Fluorescent Compound	Vehicle
1% to 60%		1% to 60%			20%-98%
1% to 60%		1% to 60%		1% to 60%	20%-97%
1% to 60%	1% to 60%	1% to 60%			20%-97%
1% to 60%	1% to 60%	1% to 60%		1% to 60%	20%-96%
1% to 60%		1% to 60%	1% to 60%		20%-97%
1% to 60%		1% to 60%	1% to 60%	1% to 60%	20%-96%
1% to 60%	1% to 60%	1% to 60%	1% to 60%		20%-96%
1% to 60%	1% to 60%	1% to 60%	1% to 60%	1% to 60%	20%-95%

30

23

CLAIMS

- A document of value comprising a substrate having a security feature in or on one region of the substrate, the having at least one security feature authenticatable high security entity (HSE) and at least one further machine authenticatable entity comprising a low security entity (LSE) or a high security entity, the at entities providing different characteristics, wherein the or each HSE is an homogeneous 10 mixture of at least two components exhibiting different detectable characteristics, and the LSE is a single component exhibiting a detectable characteristic different from those exhibited by the HSE.
- 2. A document according to claim 1, wherein the two entities are provided in different layers.
 - 3. A document according to claim 2, wherein one or both of the two entities comprise a continuous layer.
- 4. A document according to claim 1 or claim 2, wherein one or both of the two entities comprise a dot or broken structure.
 - 5. A document according to any of claims 1 to 4, wherein the two entities are provided side by side.
- 6. A document according to claim 5, wherein the two entities are laterally interleaved.
 - 7. A document according to any of claims 1 to 3, wherein the two entities overlie one another.
 - 8. A document according to any of the preceding claims, the document including a security thread in the region of the security feature.
 - 9. A document according to claim 8, wherein the security feature is provided on the security thread.
 - 10. A document according to claim 8, wherein one of the two entities is incorporated in the security thread.
- 35 11. A document according to any of the preceding claims, wherein one of the two entities is incorporated into the substrate.

5

10

- 12. A document according to claim 11, wherein the one of the two entities is in the form of a planchettes, fibres, metallic fibres, dye or pigment particles.
- 13. A document according to any of the preceding claims, wherein at least one of the two entities is printed on the substrate.
- 14. A document according to claim 13, wherein the one of the two entities is printed using one of lithography, letterpress, intaglio, gravure, screen, and letterpress printing.
- 15. A document according to any of the preceding claims, wherein the HSE or one of the HSEs comprises a homogeneous mixture of pigment particles and an ink vehicle.
- 16. A document according to claim 15, wherein the particle size is less than 10 microns, preferably less than 5 microns, most preferably less than 1 micron.
 - 17. A document according to claim 15 or claim 16, wherein the ink vehicle comprises an auto-oxidisable alkyd modified drying oil system.
- 20 18. A document according to any of claims 1 to 14, wherein the HSE or one of the HSEs is a molecular mixture.
 - 19. A document according to any of the preceding claims, wherein the detectable characteristics of one or both of the two entities include one of luminescence, light
- 25 absorbtion, Raman activity, magnetism, microwave interaction, x-ray interaction, and electrical conductivity.
 - 20. A document according to any of the preceding claims, wherein the detectable characteristics of the two entities are different properties of the same type.
 - 21. A document according to any of the preceding claims in which the interrogated area of the region of the security feature is less than 1600mm², preferably 400mm² or less.
- 22. A method of authenticating a document of value according to any of the preceding claims, the method comprising detecting at least one of the detectable characteristics; and authenticating the document of value

- if the detected characteristic(s) satisfy predetermined conditions.
- 23. A method according to claim 22, wherein one of the characteristics of the HSE is detected and used to authenticate the document.
- 24. A method according to claim 22, wherein at least two characteristics of the HSE are detected and used to authenticate the document.
- 25. A method according to claim 22, wherein the security feature comprises a HSE and a LSE, the detecting step comprising detecting the characteristic of the LSE only.
 - 26. A method according to any of claims 22 to 25, further comprising feeding the document of value past a detection system which carries out the detection step.
- 27. A method of sorting a set of documents having different values, a machine authenticatable identifying material being provided on or in each document, the identifying material having a physical property different from the form or shape or location of the material which
- identifies the document value, the method comprising feeding the documents past a detector to detect the physical property of the identifying material on each document; and feeding the documents to sorting means for sorting the documents in accordance with the detected physical properties.
 - 28. A method according to claim 27, wherein the physical property is one of luminescence, light absorbtion, Raman activity, magnetism, microwave interaction, x-ray interaction, and conductivity.
- 29. A method according to claim 27 or claim 28, wherein the documents are in accordance with any of claims 1 to 21.


 30. A method according to any of claims 27 to 29, wherein the documents are banknotes.
- 31. Apparatus for sorting a set of documents having different values, a machine authenticatable identifying material being provided on or in each document, the identifying material having a physical property different


26

from the form or shape or location of the material which identifies the document value, the apparatus comprising a detector for detecting the physical property of the identifying material; sorting means responsive to the output of the detector; and a feed system for feeding documents past the detector to the sorting means whereby the sorting means responds to the output of the detector to feed the documents to respective locations in accordance with their values as defined by the detected physical properties.

5

Fig.1.





Inter mal Application No PC I / GB 97/01022

			PC1/GB 9//01022
A. CLASSI	FICATION OF SUBJECT MATTER G07D7/00		
	-		
eccording to	o International Patent Classification (IPC) or to both national class	ification and IPC	
	SEARCHED ocumentation searched (classification system followed by classification system followed by classif	ation symbols)	
PC 6	G07D	, ,	
Ocumentat	non searched other than minimum documentation to the extent that	such documents are inclu	ded in the fields searched
Electronic d	lata base consulted during the international search (name of data be	ase and, where practical, s	earch terms used)
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT		Paternes to alaim No.
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
X	EP 0 610 917 A (MANTEGAZZA A ART 17 August 1994 see claim 1; figure 3	I GRAFICI)	1-3,7
x	WO 89 07804 A (DERSTINE CHRISTIN ROBERT B (CA)) 24 August 1989 see claim 1; figure 1	E; NALLY	27-31
A	US 4 609 207 A (MUCK HAJO ET AL September 1986 see claim 1; figure 1	.) 2	1-31
A	US 4 114 804 A (JONES ALAN P ET September 1978 see claim 1; figure 1	AL) 19	1-31
A	EP 0 319 525 A (MARS INC) 7 June see claim 1; figure 6		1-31
		-/	limber of the second
X Fur	rther documents are listed in the continuation of box C.	X Patent lamity	members are listed in annex.
'A' docum	ategories of cited documents: ment defining the general state of the art which is not idered to be of particular relevance	or priority date an cited to understand invention	plished after the international filing date id not in conflict with the application but id the principle or theory underlying the
filing	r document but published on or after the international s date nent which may throw doubts on priority claim(s) or h is cated to establish the publication date of another	cannot be consider involve an inventi	ular relevance; the claimed invention red novel or cannot be considered to ve step when the document is taken alone rular relevance; the claimed invention
"O" docur	on or other special reason (as specified) ment referring to an oral disclosure, use, exhibition or means	document is comb ments, such comb	red to involve an inventive step when the ined with one or more other such docu- ination being obvious to a person skilled
'P" docum	nent published prior to the international filing date but than the priority date claimed	in the art. "&" document member	of the same patent family
	e actual completion of the international search 20 June 1997	Date of mailing of	02. 07. 97
	I mailing address of the ISA	Authorized officer	
	European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+ 31-70) 340-3016	Kirster	ı, K

Interr mal Application No
PCI/GB 97/01022

		PC1/GB 9//01022			
C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No.					
ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.			
\	US 4 446 204 A (KAULE WITTICH ET AL) 1 May 1984 see claim 1	1-31			
	US 5 005 873 A (WEST MICHAEL A) 9 April 1991 cited in the application see claim 1; figure 1	1-31			
	·				

formation on patent family members

Inter Onal Application No PCI/GB 97/01022

Patent document cited in search report	Publication - date	Patent family member(s)	Publication date
EP 0610917 A	17-08-94	IT 1263970 B US 5583631 A	05-09-96 10-12-96
WO 8907804 A	24-08-89	CA 1332791 A EP 0398982 A US 5235652 A	01-11-94 28-11-90 10-08-93
US 4609207 A	02-09-86	DE 2925273 B AT 5351 T EP 0021350 A JP 1491609 C JP 56052476 A JP 63037428 B	29-01-81 15-12-83 07-01-81 07-04-89 11-05-81 25-07-88
US 4114804 A	19-09-78	DE 2731531 A GB 1567260 A JP 53044089 A JP 1591269 C JP 2014758 B JP 59135588 A SE 441314 B SE 7708814 A SE 448036 B SE 8102500 A SE 448037 B SE 8102501 A	09-02-78 14-05-80 20-04-78 30-11-90 09-04-90 03-08-84 23-09-85 05-02-78 12-01-87 21-04-81 12-01-87
EP 0319525 A	07-06-89	US 4628194 A AT 106585 T AU 594312 B AU 5017585 A BR 8506950 A CA 1240059 A DE 3587836 D DE 3587836 T EP 0178132 A EP 0319524 A HK 74195 A JP 5128343 A JP 2534802 B	09-12-86 15-06-94 08-03-90 02-05-86 23-12-86 02-08-88 07-07-94 09-02-95 16-04-86 07-06-89 19-05-95 25-05-93 18-09-96

information on patent family members

Inter Sonal Application No
PCI/GB 97/01022

Patent document cited in search report	Publication - date	Patent family member(s)	Publication date
EP 0319525 A		JP 4357575 A JP 2527869 B JP 5242335 A JP 6066076 B JP 62500406 T WO 8602476 A	10-12-92 28-08-96 21-09-93 24-08-94 19-02-87 24-04-86
US 4446204 A	01-05-84	CH 655890 A DE 3116257 A WO 8103511 A EP 0053125 A FR 2483331 A GB 2089384 A,B SE 450780 B SE 8107671 A	30-05-86 07-01-82 10-12-81 09-06-82 04-12-81 23-06-82 27-07-87 21-12-81
US 5005873 A	09-04-91	GB 2189800 A DE 3788503 D DE 3788503 T EP 0267215 A WO 8706197 A	04-11-87 27-01-94 14-04-94 18-05-88 22-10-87